


	H	Kw.	X rpm	M	R	L-MAX	A	B	ØC	D	Fr (kg)	Fax (kg)	WEIGHT APROX.
FAR-02.07 C 05	800	0.25	21.7	208	173	2000	280	230	16	140	0.6	6	115 KG
FAR-02.07 C 07	1000	0.25	20.3	208	173	2500	280	230	16	140	1.3	12	120 KG
FAR-02.06 C 08	1200	0.25	14.5	208	173	2500	280	230	16	170	1.4	12	130 KG
FAR-02.06 C 09	1400	0.25	14.5	208	173	3000	280	230	16	170	2.5	22	150 KG
FAR-02.05 C 10	1600	0.25	10.1	208	303	3000	400	350	18	170	2.1	18	205 KG
FAR-02.05 C 11	1800	0.25	10.1	208	303	3000	400	350	18	215	3.3	29	240 KG
FAR-02.04 C 12	2000	0.25	7.8	208	303	3500	400	350	18	215	3.0	26	255 KG
FAR-03.04 C 13	2500	0.37	7.8	208	303	4000	400	350	18	215	7.3	62	320 KG
FAR-03.03 C 14	3000	0.37	5.5	208	303	4500	400	350	18	225	7.5	64	410 KG
FAR-05.03 C 15	3500	0.75	5.7	228	351	5000	520	460	24	225	14.7	123	550 KG
FAR-06.02 C 16	4000	1.1	4.0	265	434	5500	620	560	26	280	12.4	104	855 KG

6	PROPELLER T-25	ACCORDING TO VERSION	
5	SHAFT	ACCORDING TO VERSION	
4	COUPLING	CARBON STEEL	
3	FLANGE	CARBON STEEL	
2	REDUCER	X rpm	
1	MOTOR 1500rpm 220/380V IP55		
POS.	DESIGNATION	MATERIAL	DIMENSIONS
	DATE	NOM	
DRAWN	07/99		
		DRAW N°	
		PAGE	
FLOCULATOR FAR			1